

HYDRAULIC CUTTING ATTACHMENTS

AQ-1S

Performance Data, Dimensions, and Weights



Recommended Excavator/Carrier Size Class:


- 1 - 3 tons

Hydraulic Power:

- 24HP (20kW)

The AQ-1S hydraulic cutter is Antraquip's smallest transverse model designed to operate on mini-excavators and other compact hydraulic carriers. Its small size allows the ability to cut soft to medium hard rock, asphalt and concrete, which makes it an ideal tool for a broad variety of specialized excavation challenges.

Additional information on other AQ models are available at ANTRAQUIP.NET.



Technical Data

AQ-1S

Cutting Head Diameter (B)	9 in (230 mm)
Cutting Head Width (A)	19 in (485 mm)
Oil Flow	5-12 gpm (20-45 l/min)
Max Pressure	5,800 psi (400 bar)
Max Torque	1,196 ft lbs (1.620 Nm)
Max Cutting Force	3,315 lbs (14.750 N)
Operating Weight	265 lbs (120 kg)

Please note hydraulic power rating should not be exceeded

Quantity of cutter bits for standard drums: 60



+ 1.301.665.1165



info@antraquip.net



www.antraquip.net



HYDRAULIC CUTTING ATTACHMENTS

AQ-1

Performance Data, Dimensions, and Weights



Recommended Excavator/Carrier Size Class:


- 2-8 tons

Hydraulic Power:

- 45HP (35kW)

The AQ-1 hydraulic drum cutter head is a proven compact transverse model designed for small excavators and carriers. This machine offers an impressive amount of power and exceptional productivity when mounted on excavators in the 2-8t size class. Used for small trench excavation, precision concrete cutting, profiling, and specialized applications.

Additional information on other AQ models are available at ANTRAQUIP.NET.



Technical Data

AQ-1

Cutting Head Diameter (B)	11 in (280 mm)
Cutting Head Width (A)	21 in (535 mm)
Oil Flow	8-20 gpm (30-75 l/min)
Max Pressure	5,800 psi (400 bar)
Max Torque	2,625 ft lbs (3.560 Nm)
Max Cutting Force	5,717 lbs (25.430 N)
Operating Weight	635 lbs (290 kg)

Please note hydraulic power rating should not be exceeded

Quantity of cutter bits for standard drums: 60



+ 1.301.665.1165



info@antraquip.net



www.antraquip.net



HYDRAULIC CUTTING ATTACHMENTS

AQ-2

Performance Data, Dimensions, and Weights



Recommended excavators/carrier size class:


- 5-15 tons

Hydraulic Power:

- 60HP (45kW)

The AQ-2 hydraulic drum cutter bridges the gap between compact and mid-size excavators, delivering impressive cutting performance in concrete and soft to medium hard rock. Its combination of power, control, and versatility makes it an ideal solution for trenching, demolition, profiling, and utility work.

Additional information on other AQ models are available at ANTRAQUIP.NET.



Technical Data	AQ-2
Cutting Head Diameter (B)	16.5 in (420 mm)
Cutting Head Width (A)	25 in (635 mm)
Oil Flow	12-26 gpm (45-100 l/min)
Max Pressure	5,800 psi (400 bar)
Max Torque	4,370 ft lbs (5.925 Nm)
Max Cutting Force	7,028 lbs (31.275 N)
Operating Weight	1,035 lbs (470 kg)

Please note hydraulic power rating should not be exceeded

Quantity of cutter bits for standard drums: 48



+ 1.301.665.1165



info@antraquip.net



www.antraquip.net



HYDRAULIC CUTTING ATTACHMENTS

AQ-3

Performance Data, Dimensions, and Weights



Recommended excavators/carrier size class:


- 12-20 tons

Hydraulic Power:

- 90HP (65kW)

The AQ-3 hydraulic drum cutter is one of Antraquip's most popular mid-size models. It is capable of delivering high production rates in rock and concrete, and is commonly used for trenching, scaling, mine development, and concrete profiling applications.

Additional information on other AQ models are available at ANTRAQUIP.NET.



Technical Data	AQ-3
Cutting Head Diameter (B)	22 in (560 mm)
Cutting Head Width (A)	31 in (790 mm)
Oil Flow	30-45 gpm (110-170 l/min)
Max Pressure	5,800 psi (400 bar)
Max Torque	8,740 ft lbs (11.850 Nm)
Max Cutting Force	9,545 lbs (42.475 N)
Operating Weight	2,045 lbs (930 kg)

Please note hydraulic power rating should not be exceeded

Quantity of cutter bits for standard drums: 48



+ 1.301.665.1165



info@antraquip.net



www.antraquip.net



HYDRAULIC CUTTING ATTACHMENTS

AQ-3XL

Performance Data, Dimensions, and Weights



Recommended excavators/carrier size class:


- 15-28 tons

Hydraulic Power:

- 120HP (90kW)

The AQ-3XL hydraulic drum cutter is found on jobsites worldwide. Its combination of high power and compact design makes it particularly effective for narrow trench excavation and demanding rock cutting applications.

Additional information on other AQ models are available at ANTRAQUIP.NET.



Technical Data	AQ-3XL
Cutting Head Diameter (B)	23 in (585 mm)
Cutting Head Width (A)	32 in (815 mm)
Oil Flow	34-65 gpm (125-245 l/min)
Max Pressure	5,800 psi (400 bar)
Max Torque	11,200 ft lbs (15.185 Nm)
Max Cutting Force	11,683 lbs (51.970 N)
Operating Weight	2,290 lbs (1.040 kg)

Please note hydraulic power rating should not be exceeded

Quantity of cutter bits for standard drums: 48



+ 1.301.665.1165



info@antraquip.net



www.antraquip.net



HYDRAULIC CUTTING ATTACHMENTS

AQ-4

Performance Data, Dimensions, and Weights



Recommended excavators/carrier size class:


- 25-45 tons

Hydraulic Power:

- 160HP (120kW)

The AQ-4 hydraulic drum cutter is one of Antraquip's most versatile and widely used models, designed for mid-size excavators. It is commonly used in tunneling, mining, trenching, and demolition applications.

Additional information on other AQ models are available at ANTRAQUIP.NET.



Technical Data	AQ-4
Cutting Head Diameter (B)	25 in (710 mm)
Cutting Head Width (A)	40 in (1.015 mm)
Oil Flow	50-85 gpm (190-320 l/min)
Max Pressure	5,800 psi (400 bar)
Max Torque	18,712 ft lbs (25.370 Nm)
Max Cutting Force	17,030 lbs (75.750 N)
Operating Weight	4,125 lbs (1.875 kg)

Please note hydraulic power rating should not be exceeded

Quantity of cutter bits for standard drums: 48



+ 1.301.665.1165



info@antraquip.net



www.antraquip.net



HYDRAULIC CUTTING ATTACHMENTS

AQ-4HPT

Performance Data, Dimensions, and Weights



Recommended excavators/carrier size class:


- 25-45 tons

Hydraulic Power:

- 200HP (150kW)

The AQ-4HPT hydraulic drum cutter is specifically designed for high production trenching and rock excavation applications requiring maximum power in a compact space. Its narrow profile and increased power density make it ideal for utility trenching, pipeline work, and continuous rock excavation.

Additional information on other AQ models are available at ANTRAQUIP.NET.



Technical Data	AQ-4HPT
Cutting Head Diameter (B)	28 in (710 mm)
Cutting Head Width (A)	33 in (840 mm)
Oil Flow	60-110 gpm (225-415 l/min)
Max Pressure	5,800 psi (400 bar)
Max Torque	22,420 ft lbs (30.400 Nm)
Max Cutting Force	19,120 lbs (85.050 N)
Operating Weight	4,480 lbs (2.035 kg)

Please note hydraulic power rating should not be exceeded

Quantity of cutter bits for standard drums: 48



+ 1.301.665.1165



info@antraquip.net



www.antraquip.net



HYDRAULIC CUTTING ATTACHMENTS

AQ-4XL

Performance Data, Dimensions, and Weights



Recommended excavators/carrier size class:



- 35-50 tons

Hydraulic Power:

- 215HP (160kW)

The AQ-4XL hydraulic drum cutter builds on the versatility and proven performance of the AQ-4 while delivering increased power, torque, and cutting force. It is an ideal solution for excavation, trenching, tunneling, and challenging rock cutting applications.

Additional information on other AQ models are available at ANTRAQUIP.NET.



Technical Data	AQ-4XL
Cutting Head Diameter (B)	29 in (735 mm)
Cutting Head Width (A)	49 in (1.245 mm)
Oil Flow	60-130 gpm (245-495 l/min)
Max Pressure	5,800 psi (400 bar)
Max Torque	28,120 ft lbs (38.125 Nm)
Max Cutting Force	24,068 lbs (107.060 N)
Operating Weight	5,775 lbs (2.625 kg)

Please note hydraulic power rating should not be exceeded

Quantity of cutter bits for standard drums: 56



+ 1.301.665.1165



info@antraquip.net



www.antraquip.net



HYDRAULIC CUTTING ATTACHMENTS

AQ-4XLN

Performance Data, Dimensions, and Weights



Recommended excavators/carrier size class:


- 35-50 tons

Hydraulic Power:

- 215HP (160kW)

The AQ-4XLN hydraulic drum cutter combines the power of the AQ-4XL platform with a narrow cutting profile optimized for trenching applications. Designed for mid to large excavators, it delivers high production rates while maintaining precise trench dimensions in challenging ground conditions.

Additional information on other AQ models are available at ANTRAQUIP.NET.



Technical Data	AQ-4XLN
Cutting Head Diameter (B)	29 in (735 mm)
Cutting Head Width (A)	40 in (1.000 mm)
Oil Flow	65-130 gpm (245-495 l/min)
Max Pressure	5,800 psi (400 bar)
Max Torque	28,120 ft lbs (38.125 Nm)
Max Cutting Force	24,068 lbs (107.060 N)
Operating Weight	5,620 lbs (2.555 kg)

Please note hydraulic power rating should not be exceeded

Quantity of cutter bits for standard drums: 48



+ 1.301.665.1165



info@antraquip.net



www.antraquip.net



HYDRAULIC CUTTING ATTACHMENTS

AQ-5

Performance Data, Dimensions, and Weights



Recommended excavators/carrier size class:



- 50-80 tons

Hydraulic Power:

- 270HP (200kW)

The AQ-5 hydraulic drum cutter is engineered for demanding rock excavation and high production environments. Its heavy-duty transmission and cutting drum design deliver efficient production and reliable performance in challenging conditions.

Additional information on other AQ models are available at ANTRAQUIP.NET.



Technical Data	AQ-5
Cutting Head Diameter (B)	33 in (840 mm)
Cutting Head Width (A)	53 in (1.345 mm)
Oil Flow	95-160 gpm (360-610 l/min)
Max Pressure	5,800 psi (400 bar)
Max Torque	39,310 ft lbs (53.300 Nm)
Max Cutting Force	28,686 lbs (127.600 N)
Operating Weight	7,832 lbs (3.560 kg)

Please note hydraulic power rating should not be exceeded

Quantity of cutter bits for standard drums: 64



+ 1.301.665.1165



info@antraquip.net



www.antraquip.net



HYDRAULIC CUTTING ATTACHMENTS

AQ-6

Performance Data, Dimensions, and Weights



Recommended excavators/carrier size class:


- 70-150 tons

Hydraulic Power:

- 540HP (405kW)

The AQ-6 hydraulic drum cutter is Antraquip's largest and most powerful cutter, built to maximize production in large scale rock excavation projects. Its high torque output and robust design deliver the performance and reliability required for mining, tunneling, and large scale excavation applications.

Additional information on other AQ models are available at ANTRAQUIP.NET.



Technical Data	AQ-6
Cutting Head Diameter (B)	40 in (1.015 mm)
Cutting Head Width (A)	68 in (1.730 mm)
Oil Flow	130-260 gpm (490-980 l/min)
Max Pressure	5,800 psi (400 bar)
Max Torque	99,600 ft lbs (135.040 Nm)
Max Cutting Force	62,112 lbs (276.300 N)
Operating Weight	14,350 lbs (6.510 kg)

Please note hydraulic power rating should not be exceeded

Quantity of cutter bits for standard drums: 88



+ 1.301.665.1165



info@antraquip.net



www.antraquip.net

